



## **Type:** Coaxial Isolator series

Features


## Model no.: YXCI201-J

- 1. Frequency range is from 1GHz to 2GHz
- 2. Reliable performance and competitive cost guaranteed by high quality materials and optimized design.
- 3. Customized Designs are available per request

Electronic parameters at room temperature (25°C aro.)

| P/N.      | Frequency<br>Range<br>(GHz) | Relative<br>Bandwidth | Insertion<br>Loss<br>(dB.Max) | Isolation<br>(dB.Min) | VSWR<br>(Max) | Operating<br>Temp.<br>(℃) | Forward<br>Power<br>(W) | Reverse<br>Power<br>(W) | Direction | Connector |
|-----------|-----------------------------|-----------------------|-------------------------------|-----------------------|---------------|---------------------------|-------------------------|-------------------------|-----------|-----------|
| YXCI201-J | 1-2                         | 100%<br>(1000MHz)     | 0.7                           | 16                    | 1.4           | -0~+60                    | 10                      | -                       | -         | N/SMA     |

## Mechanical Dimensions (unit: mm)



Pls provide below information when inquiring

The specific working frequency range

- 1- Required specification on IL, Isolation and VSWR
- 2- Power handling
- 3- Connector type
- 4- Other specific requirement details

 Quanzhou Seven Sunlight Electronic Co., Ltd.

 Web:
 www.sevensunlight.com

 Email:
 sales@ sevensunlight.com